

CUSTOMER:		SERIAL No:	ORDER No:	All dimensions in mm					
		<p>ROLL IN BLAST CHILLER</p> <p>CONTROLS: WEB CONTROLLER (C/W PRINTER)</p> <p>AMPS: WMBC 480/660: 32Amps</p> <p>SUPPLY: 208-230v / 60hz / 3ph</p> <p>FINISH: INT 441 S/S WHITE PVC EXT 430 S/S 441 S/S WHITE PVC</p> <p>CAPACITY: WMBC480 480lbs / 90mins WMBC660 660lbs / 90mins</p>		<p>MAIN EQUIPMENT:</p> <p>WMBC480 4 x EVAPORATOR FANS</p> <p>WMBC660 6 x EVAPORATOR FANS</p>					
				<p>EVAPORATOR COIL c/w EXP VALVE GAS R404a ELECTRIC DEFROST</p>					
		<p>STORAGE POD EQUIPMENT:</p> <p>2 FAN POD (50mm) EVAPORATOR COIL c/w EXP VALVE GAS R134a ELECTRIC DEFROST ELEC VAP TRAY COND UNIT 0.75 HP</p> <p>CONDENSING UNIT : BTU REQUIRMENT AT 32°C / 90°F AMBIENT MODEL BTU's / HOUR WMBC480 76500 " 5°C EVAP WMBC660 87765 " 5°C EVAP</p> <p>DRAIN FACILITY REQUIRED</p>							
<p>Williams Refrigeration Bryggen Road North Lynn Industrial Estate Kings Lynn, Norfolk, PE30 2HZ</p>		<p>This drawing and all copies produced are the property of Williams Refrigeration and must not be copied or distributed by any third party without obtaining authorisation.</p>		<p>DRAWING TITLE:</p> <p>WMBC 480/660 C PT c/w Pod</p> <p>ROLL-IN BLAST CHILLER (BEV-AIR SPEC)</p>		<p>DRAWN BY:</p> <p>JJA</p> <p>CHECKED BY:</p>	<p>DATE:</p> <p>19/02/14</p> <p>DATE:</p>	<p>SCALE:</p> <p>1:32</p> <p>DRAWING NUMBER:</p>	<p>ISSUE:</p> <p>001</p> <p>E:/Spec-drg/Bev-Air WMBC/WMBC 480-660 C PT Pod</p>